WEST Search History for Application 10780547

Creation Date: 2009021023:31

Query	DB	Op.	Plur.	Thes.	Date
5956737.pn.	USPT	OR	YES		02-10-2009
((display adj description$1) same definition same (XML or HTML)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
WO-2006046667-A1.did.	EPAB	OR			02-10-2009
(display adj description$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description$1)) and ((web adj2 definition) same (XML or HMTL))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description$1)) and ((table near5 (display$ or render$ or view$)) same cell$1 same location)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description$1)) and ((rule$1 or condition$1) same ((alter$ or chang$ or edit$ or modif$) near3 table$1) same layout)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description$1)) and ((rule$1 or condition$1) same ((alter$ or chang$ or edit$ or modif$) near3 table$1))	PGPB, USPT,	OR			02-10-2009

	USOC, EPAB, JPAB, DWPI, TDBD			
((display adj description$1) and ((rule$1 or condition$1) same ((alter$ or chang$ or edit$ or modif$) near3 table$1))) and (table$ same layout)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		02-10-2009
((display adj description$1) and ((rule$1 or condition$1) same ((alter$ or chang$ or edit$ or modif$) near3 table$1)) and (table$ same layout)) and ((rule$ or condition$1) same (element$ or attribute$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		02-10-2009
((display adj description$1)) and ((defin$ near5 (element$1 or attribute$1)) with (HTML or markup or XML))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		02-10-2009
((display adj description$1) and ((defin$ near5 (element$1 or attribute$1)) with (HTML or markup or XML))) and (condition$1 or rule$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		02-10-2009
((display adj description$1) and ((defin$ near5 (element$1 or attribute$1)) with (HTML or markup or XML)) and (condition$1 or rule$1)) and layout	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		02-10-2009
(display adj description adj file) with HTML	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR		02-10-2009

	TDBD				
(display adj description adj file) same HTML	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description$1)) and ((defin$ near5 (element$1 or attribute$1)) with ((desciption adj file) or HTML))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
(5,475,805 5903902 5956737 7,051276 6,993,711 7,120,868 7,272,789).pn.	USPT	OR			02-10-2009
('5060155' l '5668966' l '5864805' l '5909667' l '5956737' l '6163785' l '6424979' l '6430624' l '6825844' l '20010021928' l '20010054049' l '20020016801' l '20030004836' l '20030101164' l '20040034520' l '20040034651' l '20040078190' l '20040186705' l '20050102628')![pn]	USPT, PGPB	OR			02-10-2009
(5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.	USPT	OR			02-10-2009
((5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.) and (layout same (rule$1 or condition$1))	USPT	OR			02-10-2009
((5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and (layout same (rule$1 or condition$1))) and (HTML or XML)	USPT	OR			02-10-2009
(('5060155' l '5668966' l '5864805' l '5909667' l '5956737' l '6163785' l '6424979' l '6430624' l '6825844' l '20010021928' l '20010054049' l '20020016801' l '20030004836' l '20030101164' l '20040034520' l '20040034651' l '20040078190' l '20040186705' l '20050102628')![pn] or ((5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.)	USPT	OR			02-10-2009

Query	Database	Op			Date
(('5060155' | '5668966' | '5864805' | '5909667' | '5956737' | '6163785' | '6424979' | '6430624' | '6825844' | '20010021928' | '20010054049' | '20020016801' | '20030004836' | '20030101164' | '20040034520' | '20040034651' | '20040078190' | '20040186705' | '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.) and layout	USPT	OR			02-10-2009
(('5060155' | '5668966' | '5864805' | '5909667' | '5956737' | '6163785' | '6424979' | '6430624' | '6825844' | '20010021928' | '20010054049' | '20020016801' | '20030004836' | '20030101164' | '20040034520' | '20040034651' | '20040078190' | '20040186705' | '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and layout) and (layout same (rule$1 or condition$1))	USPT	OR			02-10-2009
(('5060155' | '5668966' | '5864805' | '5909667' | '5956737' | '6163785' | '6424979' | '6430624' | '6825844' | '20010021928' | '20010054049' | '20020016801' | '20030004836' | '20030101164' | '20040034520' | '20040034651' | '20040078190' | '20040186705' | '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and layout and (layout same (rule$1 or condition$1))) and (HTML or XML)	USPT	OR			02-10-2009
(('5060155' | '5668966' | '5864805' | '5909667' | '5956737' | '6163785' | '6424979' | '6430624' | '6825844' | '20010021928' | '20010054049' | '20020016801' | '20030004836' | '20030101164' | '20040034520' | '20040034651' | '20040078190' | '20040186705' | '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and layout and (layout same (rule$1 or condition$1)) and (HTML or XML)) and defin$	USPT	OR			02-10-2009
((display adj description$1)) and (layout same parameter$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description$1)) and (layout same parameter$1 same (display$ or view$ or render$))	PGPB, USPT,	OR			02-10-2009

	USOC, EPAB, JPAB, DWPI, TDBD				
(defin$ near3 (element$1 or attribute$1)) with layout	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-10-2009
((defin$ near3 (element$1 or attribute$1)) with layout) and (condition$1 same rule$1 same layout same (element$1 or attribute$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-10-2009
(715/200,202,204,205,227,234,243,244,245,246,760)![CCLS]	PGPB, USPT	OR			02-10-2009
((715/200,202,204,205,227,234,243,244,245,246,760)![CCLS]) and ((defin$ near3 (element$1 or attribute$1)) with layout)	PGPB, USPT	OR	YES		02-10-2009
((715/200,202,204,205,227,234,243,244,245,246,760)![CCLS] and (defin$ near3 (element$1 or attribute$1)) with layout) and ((display adj description$1))	PGPB, USPT	OR	YES		02-10-2009
adapt$ same layout same (document or hierarch$ or structure or node)	PGPB, USPT	OR			02-10-2009
(adapt$ same layout same (document or hierarch$ or structure or node)) and (stylesheet$ with (defin$ or specif$) with element$1)	PGPB, USPT	OR			02-10-2009
6993711 (6374273 5893127 5845299).pn.	USOC	OR			02-10-2009
(6993711 6374273 5893127 5845299).pn.	USPT	OR			02-10-2009
5,475,805.pn.	USPT	OR			02-10-2009
('5263132' l '5895476' l '5895477' l '5903902' l '5956737' l '6507410' l '7051276' l '20030229845' l '20040153974' l '20040176958' l '20040205472')![pn]	USPT, PGPB	OR			02-10-2009
(('5263132' l '5895476' l '5895477' l '5903902' l '5956737' l '6507410' l '7051276' l '20030229845' l '20040153974' l '20040176958' l '20040205472')![pn]) and layout	USPT	OR			02-10-2009
(('5263132' l '5895476' l '5895477' l '5903902' l '5956737' l '6507410' l '7051276' l '20030229845' l '20040153974' l	USPT	OR			02-10-2009

'20040176958' | '20040205472')![pn] and layout) and (XML or HTML)					
(('5263132' | '5895476' | '5895477' | '5903902' | '5956737' | '6507410' | '7051276' | '20030229845' | '20040153974' | '20040176958' | '20040205472')![pn] and layout and (XML or HTML)) and (template$1 or stylesheet$)	USPT	OR			02-10-2009
(('5263132' | '5895476' | '5895477' | '5903902' | '5956737' | '6507410' | '7051276' | '20030229845' | '20040153974' | '20040176958' | '20040205472')![pn] and layout and (XML or HTML) and (template$1 or stylesheet$)) and (element$1 or hierarch$ or node$1)	USPT	OR			02-10-2009
20060010375 20040100489 20030137522	PGPB, USPT	OR			02-10-2009
20050094206	PGPB, USPT	OR			02-10-2009
(715/523).ccls.	PGPB, USPT	OR			02-10-2009
715/(517,513,526,501.1,500).ccls.	PGPB, USPT	OR			02-10-2009
(715/(517, 513, 526, 501.1, 500).ccls.) or ((715/523).ccls.)	PGPB, USPT	OR			02-10-2009
(715/(517, 513, 526, 501.1, 500).ccls. or (715/523).ccls.) and (content with layout with display$)	PGPB, USPT	OR			02-10-2009
(715/(517, 513, 526, 501.1, 500).ccls. or (715/523).ccls. and (content with layout with display$)) and (((defin$ or specif$) near3 element$1) same layout same interface)	PGPB, USPT	OR			02-10-2009
('5263132' | '5895476' | '5895477' | '5903902' | '5956737' | '6507410' | '7051276')![pn]	USPT, PGPB	OR			02-10-2009
(separat$ with content with layout with display$).ti.	PGPB, USPT	OR			02-10-2009
separat$ same content same layout same display$	PGPB, USPT	OR			02-10-2009
(separat$ same content same layout same display$) and ((defin$ or specif$) with layout with content)	PGPB, USPT	OR			02-10-2009
(separat$ same content same layout same display$ and ((defin$ or specif$) with layout with content) and ((layout near2 (defin$ or specif$)) with table with (display$ or render$))	PGPB, USPT	OR			02-10-2009
(((defin$ or specif$) near2 (element$ or child)) and layout and (style or color) and table).clm.	PGPB, USPT	OR			02-10-2009

(6826727 or 7028306).pn.	USPT	OR			02-10-2009
20050055635 20050094206	PGPB, USPT	OR			02-10-2009
('5214755' | '5337406' | '5381523' | '5459827' | '5475805' | '5555362' | '5577189' | '5644776' | '5649216' | '5671429' | '5745122' | '5748963' | '5845303' | '5953733' | '6105044' | '6161114' | '6185589' | '6301213' | '6446100')![pn]	USPT, PGPB	OR			02-10-2009
(6,023,714 6,928,610).pn.	USPT	OR			02-10-2009
('5263132' | '5390354' | '5438512' | '5581670' | '5600771' | '5621873' | '5630120' | '5630125' | '5669005' | '5669007' | '5673401' | '5680619' | '5701500' | '5708806' | '5717945' | '5822587' | '5860073' | '5878421' | '5911145' | '5956737' | '6043817' | '6044384' | '6199082' | '6230173' | '6366918')![pn]	USPT, PGPB	OR			02-10-2009
20050055635	PGPB, USPT	OR			02-10-2009
(adapt$ same layout same (document or hierarch$ or structure or node)) and (715/(517, 513, 526, 501.1, 500).ccls. or (715/523).ccls. and (content with layout with display$))	PGPB, USPT	OR			02-10-2009